cempa

SeisComPRO

GLOBAL EARTHQUAKE MONITORING PROCESSING ANALYSIS

SeisComPro Earthquake monitoring

SeisComPro: Software Extensions and Web Applications or SeisComPa



SeisComPro is gempa's extension to SeisComP3 fulfilling the requirements for enhanced multisensor data acquisition and earthquake analysis as well as industrial monitoring of microseismicity.

The SeisComPro utilities are especially designed and suited for monitoring of high-rate seismicity at a wide range of magnitudes during earthquake swarms, volcanoe activity, geothermal energy production or extraction of crude oil or natural gas.

- **CAPS** is a redundant multi-format data acquisition system supporting almost any format
- **scanloc** clusters and associates phase picks ensuring that earthquake monitoring in high-rate seismicity areas delivers reliable hypocentres
- **sceval** verfies earthquake detections and safely detects and declares false events
- **GAPS** provides WebApps for Web-based earthquake analysis from anywhere - just as at home.



CAPS Redudant multi format data acquisition



The **Common Acquisition Protocol Server** (CAPS) transfers multi-sensor data in almost any format from a station to the data center. It is particularly suited to connect co-located sensors like seismometers, accelerometers, CGPS, thermometers, video cameras, etc. CAPS handles low- and high-sampled data and provides a Web-control:

- Multi-sensor data transfer, fine-grained control
- Lightweight protocol for minimized overhead
- One protocol and one connection for all data
- Reliable data transfer and backfilling of data
- Secure communication via SSL
- Web-based control



GAPS / WebApps

Web based earthquake analysis



GAPS is an interactive Web module perfectly complementing a locally installed SeisComP3. It provides remote access to earthquake and sensor information and interactive processing from anywhere through a Web browser. GAP simplifies the fast supply of information to stakeholders and to the public. GAP's 4 Web apps provide access to:

- Earthquake activity in customized source regions and magnitudes (**EQView**)
- Network state and activity (StationView)
- Real-time seismogram plots (TraceView)
- Interactive seismic analysis (OriginLocatorView).
- Visit gempa 's: https://demo.gempa.de.



scanloc

Detection clustering and association



scanloc is a clustering and association tool to detect and to locate local to regional earthquakes using the cluster search algorithm DBSCAN. The cluster search in scanloc is able to identify phase picks from a cloud of possible picks and to associating them to earthquakes. It also associates additionally incoming P- and S-phases to already existing internal or external hypocentre solutions.

In high-seismcity areas scanloc ensures reliability of earthquake hypocentres at a wide range of magnitudes.

scanloc is just perfect for monitoring geothermal sites or carbonhydrate production.



sceval



	ril Islands	150 E		Time: 2 Depth: Lat:	015-12-07 J 77 km + 43.63 ° N +	l 2:41:31 /-11 km /-7 km	Distance Azimut	th Traveffime	MoveOut	Polar Filter i	FirstM< s not acti
			1	Lon: 1	48.02°E +	/- 13 km					
		14		Phases:	11 / 1	в	10				
		130		PMS Por -	120						
				INHO IVES.	1.5 5		5				
	1 and	1		Az. Gap:	1/2 *		3				
N	F1 8765	y		Min. Dist.:	5.0 °		8 0 .		•	• • • •	
T	84	en e		EventID: of	22015xvee		2.				:
St. 1	~ A T		Sec. 1	Agency: g	mpa		-5				
12.19	AL .		1 21 1	Author: a	toloc						
The state				Evaluation: re			-10				
Ser. Sale	M.			Mathends I C							
199	- 1			Method: Co	ALSAI		-15		•		
131	. 15 A			Earth model: las	shar		0	20	40	60	
	5 1 3 7 8 M			Updated: 20	112-15-15-01 15:2	4:20		Distan	ce (dea)		
1.1-	1.3.5//4.1										
Used	Status	Phase	Net	Sta	Loc/Cha	Res	Dis (deg) v Az	Tim	ie	+/-	
Used	Status A <p></p>	Phase	Net	Sta YSS	Loc/Cha 00.BHZ	Res -0.67	Dis (deg) - Az 4.97 313	Tim 3 12:	e 42:43.4	+/-	
Used	Status A <p> A<p></p></p>	Phase P P	Net IU IU	Sta YSS MAJO	Loc/Oha 00.BHZ 00.BHZ	Res -0.67 0.85	Dis (deg) ~ Az 4.97 313 10.3 229	Tim 3 12: 9 12:	e 42:43.4 43:57.9	:+/-	
Used	Status A <p> A<p> A<p> A<p></p></p></p></p>	Phase P P P	Net IU IU IU	Sta YSS MAJO ULN	Loc/Cha 00.BHZ 00.BHZ 00.BHZ	Res -0.67 0.85 -12.34	Dis (deg) - Az 4.97 313 10.3 229 28.6 293	Tim 3 12: 9 12: 3 12:	e 42:43.4 43:57.9 47:08.7	:+/-	
Used	Status A <p> A<p> A<p> A<p> A<p></p></p></p></p></p>	Phase P P P P	Net IU IU IU IU	Sta YSS MAJO ULN COLA	Loc/Cha 00.BHZ 00.BHZ 00.BHZ 00.BHZ	Res -0.67 0.85 -12.34 0.59	Dis (deg) × Az 4.97 313 10.3 229 28.6 29 40.6 35	Tim 3 12: 9 12: 3 12: 12: 12:	e 42:43.4 43:57.9 47:08.7 49:05.6	+/-	
Used	Status A <p> A<p> A<p> A<p> A<p> A<p> A<p></p></p></p></p></p></p></p>	Phase P P P P P	Net IU IU IU IU II	Sta YSS MAJO ULN COLA BRVK	Loc/Cha 00.BHZ 00.BHZ 00.BHZ 00.BHZ 00.BHZ	Res -0.67 0.85 -12.34 0.59 -15.01	Dis (deg) × Az 4.97 31: 10.3 229 28.6 29 40.6 35 49.9 30	Thr 3 12: 9 12: 3 12: 12: 12: 9 12: 9 12: 9 12:	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7	+/-	
Used	Status A <p> A<p> A<p> A<p> A<p> A<p> A<p> A<p></p></p></p></p></p></p></p></p>	Phase P P P P P P	Net IU IU IU IU II II	Sta YSS MAJO ULN COLA BRVK ARU	Loc/Ohe 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94	Dis (deg) × Az 4.97 31: 10.3 222 28.6 293 40.6 35 49.9 305 54.6 31	Tim 3 12: 9 12: 3 12: 12: 9 12: 9 12: 7 12:	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9	+/-	
Used	Status A <p> A<p> A<p> A<p> A<p> A<p> A<p> A<p></p></p></p></p></p></p></p></p>	Phase P P P P P P P	Net IU IU IU IU II II GE	Sta YSS MAJO ULN COLA BRVK ARU SOEI	Loc/Cha 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ 8HZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63	Dis (deg) × Az 4.97 31: 28.6 29 40.6 35 49.9 30 54.6 31 57.6 208	Thr 3 12: 9 12: 3 12: 9 12: 12: 9 12: 9 12:	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5	+1-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Phase P P P P P P P P P	Net IU IU IU II II GE GE	Sta YSS MAJO ULN COLA BRVK ARU SOEI DAG	Loc/Cha 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ 8HZ 8HZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48	Dis (deg) × Az 4.97 311 10.3 224 28.6 29 40.6 35 49.9 30 54.6 31 57.6 20 59.3 356	Thr 3 12: 9 12	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3	+1-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Phase P P P P P P P P P P	Net IU IU IU IU II GE GE GE	Sta YSS MAJO ULN COLA BRVK ARU SOEI DAG SUMG	Loc/Cha 00.BH2 00.BH2 00.BH2 00.BH2 00.BH2 00.BH2 BH2 BH2 BH2 BH2	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75	Dis (deg) × Az 4.97 31: 10.3 22' 28.6 29: 40.6 35 49.9 30' 54.6 31' 57.6 200 59.3 35' 63.7 2	Thr 3 12: 9 12: 12: 9 12: 12: 12: 12: 12: 12: 12: 12:	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:25.3 51:57.3	+/-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Phase P P P P P P P P P P P P	Net IU IU IU II II GE GE II	Sta YSS MAJO ULN COLA BRVK ARU SOEI DAG SUMG KIV	Loc/Cha 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ 8HZ 8HZ 8HZ 8HZ 00.8HZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20	Dis (deg) × Az 4.97 313 10.3 22 28.6 29 40.6 35 49.9 30 54.6 31 57.6 20 59.3 35 63.7 2 70.0 313	Thro 3 12: 9 12: 3 12: 9 12: 12: 9 12: 9 12: 9 12: 9 12: 12: 9 12: 9	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:25.3 51:57.3 52:39.2	+/-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Phase P P P P P P P P P P P P P P P P	Net IU IU IU II II GE GE GE II HU	Sta YSS MAJO ULN COLA BRVK ARU SOEI DAG SJJMG KIV TRPA	Loc/Cha 00.BHZ 00.BHZ 00.BHZ 00.BHZ 00.BHZ 00.BHZ BHZ BHZ BHZ 00.BHZ BHZ 00.BHZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20 1.12	Dis (deg) × Az 4.97 31 10.3 22 28.6 29 40.6 35 54.6 31 57.6 20 59.3 39 63.7 2 70.0 31 76.5 22	Thr 3 12: 9 12: 3 12: 9 12: 3 12: 12: 9 12: 12: 9 12: 12: 9 12: 12: 9 12: 9 12: 12: 9 12: 12: 9 12: 12: 9 12: 12: 9 12: 12: 9 12: 9	42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:25.3 51:57.3 52:39.2 53:16.1	+/-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Рњазе Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р	Net 1U 1U 1U 1U 11 11 11 6E 6E 6E 11 11 6E 6E	Sta YSS MAJO ULN COLA BRVK ARU SOEI DAG SUMG KIV TRPA FLT	Loc/Ohx 00.BHZ 00.BHZ 00.BHZ 00.BHZ 00.BHZ 00.BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20 1.12 -1.88	Dis (deg) × Az 4.97 311 10.3 221 28.6 293 40.6 35 49.9 300 54.6 317 57.6 200 59.3 356 63.7 2 70.0 311 76.5 322 77.1 33	Thm 3 12: 9 12: 3 12: 9 12: 12: 9 12: 9 12: 9 12: 9 12: 12: 9 12: 9 12: 12: 9 12: 12: 9 12: 12: 9 12: 12: 9 12: 12: 9 12: 12: 9 12: 12: 12: 12: 12: 12: 12: 12:	42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:57.3 52:39.2 53:16.1 53:16.4	+/-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Рњазе Р Р Р Р Р Р Р Р Р Р Р Р Р	Net IU IU IU IU II II GE GE GE II HU GE GE GE GE	Sta YSS MAJO ULN COLA BRVK ARU SOEI DAG SJJMG KIV TRPA RUT RPA FUTI	Loc/Ohw 00.BHZ 00.BHZ 00.BHZ 00.BHZ 00.BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20 1.12 -1.88 1.00	Dis (deg) × Az 4.97 311 10.3 224 4.97 312 28.6 293 40.6 35 44.9 300 54.6 315 57.6 208 59.3 354 63.7 2 70.0 312 77.6 324 77.1 323 77.1 325	Thr 3 12: 9 12	42:43.4 43:57.9 47:08.7 49:05.6 50:52.9 51:10.5 51:25.3 51:25.3 51:57.3 52:39.2 53:16.1 53:16.4 53:19.3	+/-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Рњазе Р Р Р Р Р Р Р Р Р Р Р Р Р	Net IU IU IU IU II GE GE GE GE GE GE GE GR	Sta YSS MAJO ULN COLA BRVK ARU SOEI DAG SJUMG KIV TRPA FLTI MORC CLL	Loc/Ohx 00.8HZ 00.8HZ 00.8HZ 00.8HZ 00.8HZ 8HZ 8HZ 8HZ 8HZ 8HZ 8HZ 8HZ 8HZ 8HZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20 1.12 -1.88 1.00 -3.04	Dis (deg) × Az 4.97 311 10.3 222 28.6 292 40.6 35 54.6 311 54.6 311 55.6 202 59.3 35 63.7 2 70.0 312 70.5 322 77.1 33 77.1 323 77.4 33	Thm 3 12: 9 12: 12: 12: 12: 12: 12: 12: 12:	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:10.5 51:25.3 51:10.5 51:25.3 51:10.5 53:16.4 53:16.4 53:16.9	+/-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Рразе Р Р Р Р Р Р Р Р Р Р Р Р Р	Net IU IU IU IU II II GE GE GE GE GE GE GE GE GE GE	Sta YSS MAJO ULN COLA BRVK ARU SOEI DAS SUMG KIV TRPA KIV TRPA KIV TRPA CLL JAVC	Loc/Oha 00.8H2 00.8H2 00.8H2 00.8H2 00.8H2 00.8H2 8H2 8H2 8H2 8H2 8H2 8H2 8H2 8H2 8H2	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20 1.12 -1.88 1.00 -3.04 1.51	Dis (deg) < Az 4.97 311 10.3 222 28.6 292 40.6 35 40.9 300 54.6 311 57.6 202 63.7 2 70.0 311 77.6 302 77.1 323 77.4 333 77.4 323	Thr 3 12: 3 12: 3 12: 3 12: 3 12: 5 12: 7 12: 8 12: 7 12: 8 12: 7 12: 8 12: 9 12: 12: 9 12: 12: 12: 12: 12: 12: 12: 12:	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:57.3 52:39.2 53:16.1 53:16.4 53:16.4 53:16.9 53:23.8	+/-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Рњазе Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р	Net IU IU IU IU II II GE GE GE GE GE GR CZ CZ	Sta YSS MAJO ULN COLA BRVK ARU SOEI DAG SUMG KIV TRPA RUTI MORC CLL JAVC KRUC	Loc/Cha 00.BHZ 00.BHZ 00.BHZ 00.BHZ 00.BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20 1.12 -1.88 1.00 -3.04 1.51 0.97	Dis (deg) - Az 4.97 311 10.3 221 28.6 292 40.6 35 49.9 300 57.6 200 59.3 394 63.7 2 77.0 311 76.5 322 77.1 39 77.1 32 77.4 33 77.4 33 77.8 322 78.1 321	Thr 3 12: 9 12: 9 12: 3 12: 9 12: 12: 9 12: 9 12: 12: 12: 12: 12: 12: 12: 12:	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:57.3 52:39.2 53:16.1 53:16.4 53:19.3 53:16.4 53:23.8 53:23.8	+/-	
Used	Status A <p> A<p> A<p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p></p>	Рразе Р Р Р Р Р Р Р Р Р Р Р Р Р	Net IU IU IU IU II II GE GE GE GE GE GE GE GE GE GE	Sta YSS MAJO ULN BRVK ARU SOEI DAG SJ.MG KIT RPA FLTI MORC CLL JAVC KRUC WET	Loc/Cha 00.BHZ 00.BHZ 00.BHZ 00.BHZ 00.BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ BHZ	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20 1.12 -1.88 1.00 1.51 0.97 0.94	Dis (deg) - Az 4.97 311 10.3 227 28.6 299 40.6 35 49.9 300 55.6 200 59.3 399 63.7 2 70.0 312 77.6 322 77.1 32 77.1 32 77.8 32 77.8 32 77.8 32 77.8 32 77.8 32 77.8 32	Thr 3 12: 9 12: 3 12: 9 12: 9 12: 9 12: 9 12: 9 12: 12: 9 12: 9 12: 12: 9 12: 9 12: 12: 9 12: 9 12: 12: 12: 12: 12: 12: 12: 12:	42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:57.3 52:39.2 53:16.4 53:16.4 53:16.9 53:26.9 53:23.8 53:24.9 53:23.8	+/-	
Used	Status A <td>Phase P P P P P P P P P P P P P</td> <td>Net IU IU IU IU IU II II GE GE II HJ GE GE</td> <td>Sta YSS MAJO ULN COLA BRVK ARU SOE DAG SUMG KIV TRPA FLT1 MORC CLL JAVC KRUC WET</td> <td>Loc/Che 00.8H2 00.8H2 00.8H2 00.8H2 00.8H2 00.8H2 8H2 8H2 8H2 8H2 8H2 8H2 8H2 8H2 8H2</td> <td>Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20 1.12 -1.88 1.00 -3.04 1.51 0.97 0.94 (.51) 0.97 0.94 (.51) 0.97</td> <td>Dis (deg) - A2 4.97 311 10.3 221 28.6 292 40.6 35 49.9 300 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.7 320 77.1 321 77.1 321 77.8 322 77.8 322 77.8 322 77.8 322 77.8 320 77.8 30</td> <td>Thr 3 12: 9 12: 9 12: 9 12: 9 12: 9 12: 9 12: 7 12: 8 12: 12: 9 12: 9 12: 12: 12: 12: 12: 12: 12: 12:</td> <td>e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:10.5 51:25.3 51:10.5 51:25.3 53:16.1 53:16.4 53:16.4 53:16.9 53:23.8 53:24.9 53:23.8</td> <td>+/-</td> <td></td>	Phase P P P P P P P P P P P P P	Net IU IU IU IU IU II II GE GE II HJ GE GE	Sta YSS MAJO ULN COLA BRVK ARU SOE DAG SUMG KIV TRPA FLT1 MORC CLL JAVC KRUC WET	Loc/Che 00.8H2 00.8H2 00.8H2 00.8H2 00.8H2 00.8H2 8H2 8H2 8H2 8H2 8H2 8H2 8H2 8H2 8H2	Res -0.67 0.85 -12.34 0.59 -15.01 -0.94 -1.63 -1.48 0.75 2.20 1.12 -1.88 1.00 -3.04 1.51 0.97 0.94 (.51) 0.97 0.94 (.51) 0.97	Dis (deg) - A2 4.97 311 10.3 221 28.6 292 40.6 35 49.9 300 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.6 200 57.7 320 77.1 321 77.1 321 77.8 322 77.8 322 77.8 322 77.8 322 77.8 320 77.8 30	Thr 3 12: 9 12: 9 12: 9 12: 9 12: 9 12: 9 12: 7 12: 8 12: 12: 9 12: 9 12: 12: 12: 12: 12: 12: 12: 12:	e 42:43.4 43:57.9 47:08.7 49:05.6 50:03.7 50:52.9 51:10.5 51:25.3 51:10.5 51:25.3 51:10.5 51:25.3 53:16.1 53:16.4 53:16.4 53:16.9 53:23.8 53:24.9 53:23.8	+/-	

sceval evaluates origin received from the SeisComP3 messaging system. Due to noisy data or unfavourable coincidences of automatic detections of seismic phases from different earthquakes or picks at wrong times earthquake locations may be unreasonable or even fake events. Such outliers are tagged as rejected by sceval and prevented from being mistaken as a real earthquake. Real seiscmic events are recognised and confirmed. In this way, operators and stakeholders are provided with the correct information on earthquakes avoiding unnecessary work load or excitation.